


## KSB

Bausatz aus Edelstahl der Serie KSB", für Scherstabwägezellen  
SBX/SBK



Montagesatz für Scherstabzellen der  
SBX/SBK-Serie bis 5.000kg, geeignet zum Wiegen  
von Trichtern, Tanks, Plattformen etc. VORTEILE:


- Edelstahlbauweise AISI 304
- Einfache und schnelle Montage
- Gelenkbares Oberteil für richtiges Wägen bei  
Dehnungen/Flexionen
- Höhenverstellung zur optimalen Nivellierung  
der zu wägenden Struktur
- Erhältlich in ATEX-Ausführung für die Zonen  
1&21, 2&22.

Die ideale Lösung für  
**fortschrittliche industrielle  
Anwendungen**

## HAUPTDATEN

- AUSFÜHRUNG IN EDELSTAHL AISI 304
- GESCHRAUBTE HÖHENJUSTAGE
- MECHANISCHE KOMPENSATION VON THERMISCHEN DEHNUNGEN UND QUERKRÄFTEN
- LEICHTER EINBAU
- GARANTIERTE DIE MAXIMALE MESSGENAUIGKEIT DER WÄGEZELLE.

## BEISPIEL 1



	A	B	C	D	E	F	G	S	T
KSB5	120	215	120	90	150	185	90	25	15

Abmessungen in mm



[www.diniargeo.com](http://www.diniargeo.com)

“YOUR WORLDWIDE PARTNER FOR WEIGHING”

**DINI ARGEO**  
**FRANCE** sarl  
France

**DINI ARGEO**  
**GMBH**  
Germany

**DINI ARGEO**  
**UK Ltd**  
United Kingdom

**DINI ARGEO WEIGHING**  
**INSTRUMENTS Ltd**  
China

**DINI ARGEO**  
**OCEANIA**  
Australia



**COMPANY HEADQUARTERS**

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 843418

**SERVICE ASSISTANCE**

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE