

KSB

Bausatz aus Edelstahl der Serie KSB", für Scherstabwägezellen
SBX/SBK



Montagesatz für Scherstabzellen der
SBX/SBK-Serie bis 5.000kg, geeignet zum Wiegen
von Trichtern, Tanks, Plattformen etc. VORTEILE:


- Edelstahlbauweise AISI 304
- Einfache und schnelle Montage
- Gelenkbares Oberteil für richtiges Wägen bei
Dehnungen/Flexionen
- Höhenverstellung zur optimalen Nivellierung
der zu wägenden Struktur
- Erhältlich in ATEX-Ausführung für die Zonen
1&21, 2&22.

Die ideale Lösung für
**fortschrittliche industrielle
Anwendungen**

HAUPTDATEN

- AUSFÜHRUNG IN EDELSTAHL AISI 304
- GESCHRAUBTE HÖHENJUSTAGE
- MECHANISCHE KOMPENSATION VON THERMISCHEN DEHNUNGEN UND QUERKRÄFTEN
- LEICHTER EINBAU
- GARANTIERT DIE MAXIMALE MESSGENAUIGKEIT DER WÄGEZELLE.

BEISPIEL 1



	A	B	C	D	E	F	G	S	T
KSB5	120	215	120	90	150	185	90	25	15

Abmessungen in mm



DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE