

TPRXT

TPRXT - ANGEFLANSCHTER THERMO-DRUCKER IN SCHUTZART IP 65



Thermo-Drucker im Edelstahl-Gehäuse mit Schutzhaube gegen Feuchtigkeit und Schmutz, Schutzart IP 65. Besonders geeignet für den Einsatz in der Chemie-, Lebensmittelindustrie und bei besonderen hygienischen Anforderungen. Montierbar an Wäge-Indikatoren "XT" mit Edelstahl-Gehäuse.

Die ideale Lösung für
**fortschrittliche industrielle
Anwendungen**

TECHNISCHE DATEN

- TECHNIK: Thermoprinter.
- AUFLÖSUNG: 203 dpi.
- ZEILEN: 24/40.
- PAPIERBREITE: 58 mm.
- PAPIER-ROLLENDURCHMESSER: 50 mm.
- DRUCKGESCHWINDIGKEIT: bis zu 50 mm/sec.
- DRUCKFORMATE: Normal, doppelt hoch doppelt breit, negativ, unterstrichen, überbreit.
- ABDRUCK: wählbar (normal oder auf dem Kopf stehend).
- PROGRAMMIERBAR: Baudrate, Datensatz, Parity Bit, Handshake, Autofeed, Zeilenzahl, Font- und Druckstärke.

Anmerkung: Der Drucker ist nur mit Wäge-Indikatoren der "XT"-Gehäuse-Serie einsetzbar.



www.diniargeo.com

“YOUR WORLDWIDE PARTNER FOR WEIGHING”

**DINI ARGEO
FRANCE sarl**
France

**DINI ARGEO
GMBH**
Germany

**DINI ARGEO
UK Ltd**
United Kingdom

**DINI ARGEO WEIGHING
INSTRUMENTS Ltd**
China

**DINI ARGEO
OCEANIA**
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE