

JB4PLUS

"JB4PLUS": ABGEGLICHERER ANSCHLUSSKASTEN MIT SCHUTZ GEGEN ÜBERSPANNUNGEN, BIS ZU 4 WÄGEZELLEN



Anschlusskasten mit 4 Eingängen, Schutzart IP67, spezifisch für Außenbereiche. Er kann als Abgleichs- oder einfacher Anschlusskasten von 2, 3 oder 4 Wägezellen. Schraubbare Klemmleisten zum einfachen Anschließen der Messleitungen und Abgleichwiderstände für einen genauen und zuverlässigen Eckenabgleich. Die Schutzschaltung schützt vor Blitzen und Überspannungen.

Die ideale Lösung für
**fortschrittliche industrielle
Anwendungen**

TECHNISCHE EIGENSCHAFTEN

- ABS-Gehäuse. Schutzart IP67.
- Max. Eingangsspannung: 5VDC.
- Max. Eingangsstrom: 700mA.
- Max. Eingangssignal der Wägezelle: 1000mV.
- Spitzen-Impulsstrom: 15kA.
- Temperaturkoeffizient: 50ppm/°C.
- Abmessungen (lxwxh): 120x80x55mm.



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE